





## **EJOFAST Seamclip Fastener** JF3-STX-2-4.8 x 25

# Pin-point accuracy Fast installation Strong and reliable hold



The new **EJOT® JF3-STX-2-4.8x25** fasteners utilises the unique **EJOFAST** pierce point and thread geometry to create a fast and efficient method of fixing stainless steel support clips for standing seam panels. Originally designed for installation into thin steel composite skins, trials completed during the testing and development phase also showed that the fastener performs exceptionally well into timber plywood and OSB substrates. Available in a standard 25mm length, the buttress thread has been combined with a low profile countersunk head for a perfect installation - **every time**.

### **Applications**

- · Fully supported metal systems stainless steel clip fastener
- Installation into timber plywood and OSB substrates
- · Installation into steel faced composite panel substrates

## **Properties**

- Secure Torx® recess for positive controlled installation
- · Countersunk head for secure location into clip
- EJOFAST pierce point technology
- · Application specific designed and manufactured fastener
- No more using screws designed for other applications where performance is not guaranteed
- Thread for designed for maximum pullout performance from timber and steel substrates
- Minimal swarf generation to prevent contaminating below the standing seam sheet
- A2 stainless steel Bi-met for corrosion resistance and compatibility with clip and standing seam material

Hurricane Close, Sherburn-in-Elmet, Leeds LS25 6PB.

Tel: 01977 687040 Fax: 01977 687041

Email: info@ejot.co.uk

www.ejot.co.uk

**EJOT®** The Quality Connection

